

Estanterías Crystal Line



Las estanterías CRYSTAL LINE están especialmente diseñadas para uso alimentario. Son aptas para uso en cámaras frigoríficas tanto con temperaturas positivas (conservación), como negativas (congelación).

Las bancadas están diseñadas específicamente cumpliendo las normas higiénico-sanitarias en cámaras frigoríficas NF, que prohíben el contacto con el suelo de cajas u otro tipo de producto.

Fáciles de montar, sin necesidad de herramientas.

Estructura robusta en duraluminio anodizado de 20 micras.

Tornillería de acero inoxidable.

Parrillas de polipropileno, autoventiladas, desmontables y lavables en lavavajillas.

Estantes regulables en altura cada 150 mm.

Posibilidad de montaje en ángulo que facilita el acceso a las esquinas permitiendo una mayor estiba de mercancía.

Composiciones modulares adaptables a todos los espacios, modulación en longitud cada 8 cm.

3 Profundidades 370*, 470*, 570* mm *(medidas gastronorm).

Artículos disponibles bajo pedido. Consultar plazo de entrega.

Crystal Line Shelving

Crystal Line shelving is specially designed for food use. It is suitable for use in both cold and freezer rooms.

The racks are designed specifically in compliance with food safety and hygiene standards for cold rooms, which prohibits food from touching the floor or other products.

Easy to assemble without any tools

Robust frame in 20 micron anodized duralumin

Stainless steel fittings

Polypropylene shelf plates and grills, easy to disassemble and wash in ware washers


Height-adjustable shelves, every 150 mm

Corner assembly to provide access to corners, enabling better use of space

Modular compositions that adapt to all spaces, in lengths of 8 cm

3 depths: 370*, 470*, 570* mm *(gastronorm measurements)

Available to order. Please check delivery times.



Estanterías CL



DIMENSIONES PARRILLAS (L x P x A) GRILL DIMENSIONS (W x D x H)

GRANDE LARGE 370 x 325 x 325 / 470 x 420 x 325 / 570 x 525 x 325 mm

PEQUEÑA SMALL 370 x 325 x 245 / 470 x 425 x 245 / 570 x 525 x 245 mm

ACCESORIOS ACCESSORIES

SOPORTE ESCALERILLA: Puede suministrarse en 1700 ó 2000 mm de altura, en los fondos de 370, 470 y 570 mm.

Disponen de pies regulables para adaptarse a cualquier tipo de suelo. Están mecanizadas para fijación de estantes de 150 mm.

KIT DE RUEDAS: Incluye una escalerilla especialmente mecanizada para atornillar los largueros, una rueda con freno y una sin freno.


Añadir el precio del kit de ruedas al conjunto para obtener el precio final.

LADDER SUPPORT Supplied in 1700 or 2000 m height and in depths 370, 470 and 570 mm

Adjustable legs for all floor types. Mechanized for fastening 150 mm shelves

CASTOR KIT: Includes a ladder mechanized for screwing lengths, a castor with stop and free-moving castors

Add the castor kit price to the assembly to obtain the end price



CONJUNTO ESTANERÍAS SHELVING ASSEMBLY



ESTANERÍA CON RUEDAS SHELVING WITH CASTORS

RUEDA CON FRENO
CASTOR WITH STOP



Estanterías Inox. Duralinox Homologadas Approved

P.V.P. €. Líneas completas con parrillas en polipropileno y altura 1700 mm RRP €. Complete range with polypropylene grilles and height 1700 mm

Largo Length mm	Composición Composition	Escal Ladder no.	3 Niv. 3 levels €	370 mm 4 Niv. 4 levels €	5 Niv. 5 levels €	3 Niv. 3 levels €	470 mm 4 Niv. 4 levels €	5 Niv. 5 levels €	3 Niv. 3 levels €	570 mm 4 Niv. 4 levels €	5 Niv. 5 levels €
717	A	2	233,80	270,40	307,10	251,80	290,00	328,20	268,20	308,80	349,40
799	B	2	244,30	284,40	324,60	261,10	302,20	343,40	281,10	325,70	370,50
881	C	2	255,70	299,70	343,70	273,60	319,10	364,60	293,50	342,60	391,60
963	D	2	268,10	316,20	364,30	287,20	337,20	387,20	307,40	360,70	414,30
1045	E	2	274,60	324,80	375,10	294,90	347,50	400,10	315,00	371,00	426,60
1127	F	2	286,00	340,10	394,20	305,00	360,90	416,90	328,70	389,10	449,80
1291	G	2	299,60	358,20	416,90	321,00	382,30	443,60	344,70	410,60	476,60
1373	H	2	309,20	371,00	432,80	331,80	396,80	461,70	355,70	425,00	494,70
1455	I	2	321,20	387,10	452,90	342,50	411,00	479,50	369,90	444,00	518,40
1619	J	2	347,50	422,10	496,70	371,30	449,30	527,40	398,50	482,30	566,30
1734	2C	3	449,50	537,50	625,50	478,60	569,60	661,30	513,90	611,90	710,00
1816	C+D	3	461,90	554,00	646,10	492,20	587,370	683,20	527,40	630,10	732,70
1898	2D	3	474,30	570,50	666,70	505,80	605,80	705,90	541,00	648,20	755,40
1980	D+E	3	480,70	579,10	677,60	513,50	616,10	718,80	548,80	658,50	768,20
2026	2E	3	487,20	587,50	688,40	521,20	626,40	731,70	556,50	668,80	781,10
2144	E+F	3	498,70	603,10	707,40	531,30	639,80	748,40	570,10	686,90	803,80
2226	2F	3	510,10	618,30	726,50	541,30	653,20	765,10	583,70	705,10	826,50
2308	E+G	3	512,30	621,20	730,10	547,40	661,30	775,20	586,20	708,40	830,60
2390	F+G	3	523,70	636,40	749,20	557,40	674,70	791,90	599,80	726,50	853,20
2472	F+H	3	533,30	649,20	765,10	568,20	689,10	810,00	610,60	740,90	871,30
2554	2G	3	537,30	654,60	771,80	573,50	696,10	818,70	615,80	747,90	880,00
2636	G+H	3	546,90	667,40	787,80	584,30	710,50	836,80	626,70	762,40	898,10
2718	2H	3	556,50	680,10	803,80	595,10	725,00	854,80	637,50	776,80	916,10
2800	H+I	3	568,50	696,20	823,90	605,80	739,20	872,60	651,70	795,70	939,80
2882	2I	3	580,60	712,30	844,00	616,50	753,40	890,30	665,90	814,70	963,50
2964	H+J	3	594,80	731,20	867,70	634,50	777,50	920,50	680,40	834,10	987,70
3046	I+J	3	606,90	747,30	887,80	645,20	791,70	938,30	694,70	853,00	1.011,40
3210	2J	3	633,10	782,3	931,60	673,90	830,10	986,20	723,40	891,40	1.059,30
3325	2E+G	4	705,00	884,20	1.043,00	773,70	940,20	1.106,70	827,80	1.006,20	1.184,50
3407	E+F+G	4	736,40	899,40	1.062,40	783,70	953,60	1.123,50	841,40	1.024,30	1.207,20
3489	2F+G	4	747,80	914,70	1.081,50	793,80	967,00	1.140,20	855,00	1.024,40	1.229,90
3571	E+2G	4	750,00	917,50	1.085,10	799,80	975,500	1.150,30	857,50	1.045,70	1.234,00
3653	F+2G	4	761,40	932,80	1.104,20	809,90	988,40	1.167,00	871,10	1.063,90	1.256,70
3735	F+G+H	4	771,00	945,60	1.120,10	820,70	1.002,90	1.185,00	881,90	1.078,30	1.274,70
3817	3G	4	775,00	950,90	1.126,80	825,90	1.009,90	1.193,80	887,10	1.085,30	1.283,40
3899	2G+H	4	784,60	963,70	1.142,80	836,80	1.024,30	1.211,80	898,00	1.099,70	1.301,50
3981	G+2H	4	794,20	976,50	1.158,80	847,60	1.038,70	1.229,30	908,80	1.114,10	1.319,50
4063	3H	4	803,80	989,30	1.174,70	858,40	1.053,10	1.247,90	919,60	1.128,60	1.337,50
4145	2H+I	4	815,80	1.005,30	1.194,80	869,10	1.067,10	1.265,70	933,80	1.147,50	1.361,20
4227	H+2I	4	827,90	1.021,40	1.214,90	879,70	1.081,60	1.283,40	948,00	1.166,50	1.384,90
4309	3I	4	840,00	1.037,50	1.235,00	890,40	1.095,80	1.301,20	962,30	1.185,50	1.408,60
4391	H+I+J	4	854,20	1.056,40	1.258,70	908,50	1.119,90	1.331,40	979,80	1.204,80	1.432,90
4473	2I+J	4	866,20	1.072,50	1.278,80	919,10	1.134,10	1.339,10	991,00	1.223,80	1.456,60
4555	H+2J	4	880,40	1.091,50	1.302,50	937,20	1.158,20	1.379,30	1.005,50	1.243,20	1.480,80
4637	I+2+J	4	892,50	1.107,60	1.322,60	947,90	1.172,50	1.397,10	1.019,80	1.262,10	1.504,50
4801	3J	4	918,80	1.142,60	1.366,40	976,60	1.210,80	1.445,00	1.300,40	1.300,40	1.552,40
4916	F+3G	4	999,20	1.229,10	1.459,10	1.062,30	1.302,20	1.542,10	1.142,40	1.401,20	1.660,10
4998	F+2G+H	5	1.008,70	1.241,90	1.475,10	1.073,10	1.316,60	1.560,10	1.153,20	1.415,60	1.678,10
5080	4G	5	1.012,80	1.247,30	1.481,80	1.078,40	1.323,60	1.568,90	1.158,50	1.422,70	1.686,90
5162	3G+H	5	1.022,30	1.260,10	1.497,80	1.089,20	1.338,60	1.586,90	1.169,30	1.437,10	1.704,90
5244	2G+2H	5	1.031,90	1.272,80	1.513,70	1.100,00	1.352,50	1.604,90	1.180,00	1.451,50	1.722,90
5326	G+3H	5	1.041,50	1.285,60	1.529,70	1.110,80	1.366,90	1.623,00	1.190,90	1.465,90	1.741,00
5408	4H	5	1.051,10	1.298,40	1.545,70	1.121,70	1.381,30	1.641,00	1.201,70	1.480,40	1.759,00
5490	3H+I	5	1.063,10	1.313,80	1.565,80	1.1320,30	1.395,60	1.658,80	1.216,00	1.499,30	1.782,70
Montaje en ángulo Corner assembly			-30,00	-21,00	-12,00	-31,00	-20,00	-8,50	-33,00	-20,00	-8,00



Bancadas CL

DIMENSIONES BANCADAS (L x P x A) RACK DIMENSIONS (W x D x H)

A174	799 x 470 x 250 mm
B147	963 x 470 x 250 mm
C147	1127 x 470 x 250 mm

CARACTERÍSTICAS FEATURES

Bancadas diseñadas cumpliendo las normativas higiénico-sanitarias especialmente indicadas para las cámaras frigoríficas, en las que está prohibido el contacto directo con el suelo de cajas u otro tipo de artículo.

Racks designed in compliance with food safety and hygiene regulations specially suitable for cold rooms, which prohibits direct contact of food with the floor and other products



PORTES PAGADOS A PARTIR DE 250€
PARA OTRAS MEDIDAS, LONGITUD Y/O PROFUNDIDAD,
CONSULTAR PRECIOS Y DISPONIBILIDAD
TRANSPORT FREE OF CHARGE FOR ORDERS OVER €250
FOR OTHER MEASUREMENTS, LENGTH AND/OR DEPTH, PLEASE CONSULT
PRICES AND AVAILABILITY

REF.	MOD.	PVP € / RRP
30.181.1	C147	136
30.181.2	A174	124
30.181.3	AB147	131
30.181.4	Escal./h.=1700/470 mm	67
30.181.5	Escal./Ladder h.=1700/370 mm	74
30.181.6	Escal./Ladder h.=1700/570 mm	79
30.181.7	Escal./h.=2000/370 mm	82
30.181.8	Escal./Ladder h.=2000/470 mm	93
30.181.9	Escal./Ladder h.=2000/570 mm	100
30.181.10	Ruedas/Castors h.=1700/370 mm	275
30.181.11	Ruedas/Castors h.=1700/470 mm	302
30.181.12	Ruedas/Castors h.=1700/570 mm	329
30.181.13	Soporte Angulo/Corner 370 mm	11
30.181.14	Soporte Angulo/Corner 470 mm	13
30.181.15	Soporte Angulo/Corner 570 mm	14