


















Armadi refrigerati statici

- IT** Armadi refrigerati con refrigerazione statica. Struttura esterna in lamiera verniciata epossidica bianca o in acciaio inox AISI 430 - interno ABS - refrigerazione statica con ventilatore interno per uniformare la temperatura - pannelli esterni di fondo e retro in lamiera zincata.
- FR** Armoires réfrigérées avec réfrigération statique. Corps extérieur en tôle peinte en époxy blanc or in acier inox AISI 430 - intérieur en ABS - réfrigération statique avec ventilateur interne pour équilibrer la température - fonds et dos extérieurs en tôle galvanisée.
- EN** Refrigerated cabinets with static refrigeration. External casing in white epoxy painted plate or in stainless steel AISI 430 - static refrigeration with internal fan to balance the temperature - external back and bottom panels in galvanized plate.
- ES** Armarios refrigerados con refrigeración estática. Carcasa externa en chapa pintada de resina epoxi blanca, interior en ABS - refrigeración estática con ventilador interno para equilibrar la temperatura - paneles posterior e inferior exteriores en chapa galvanizada.

Optional	<p>GRP200 505x225 mm (mod. ER 200/400)</p> <p>Griglia plastificata piccola Small plastic coated grid Grille plastifiée petite Pequeña rejilla plastificada</p>	<p>GRP400 505x415 mm (mod. ER 600)</p> <p>Griglia plastificata grande Big plastic coated grid Grille plastifiée grande Rejilla grande plastificada</p>	<p>GRP600 650x520 mm (mod. ER 600)</p> <p>Griglia plastificata Plastic coated grid Grille plastifiée Par de guías para Rejilla</p>
	<p>GRP600P 650x290 mm (mod. ER 600)</p> <p>Griglia plastificata piccola Small plastic coated grid Grille plastifiée petite Pequeña rejilla plastificada</p>	<p>CG500 (mod. ER 500P)</p> <p>Coppia guide per teglia Pair of slides for pans Paire de glissières pour plaques Par de guías para sartén</p>	<p>GRI64 600x400 mm (mod. ER 500P)</p> <p>Griglia inox Stainless steel grid Grille acier inox Parrilla de acero inoxidable</p>

G-ER400G - G-EF400G



	G-ER400G	G-EF400G
		
	+2°C / +8°C	-18°C / -22°C
	600 x 585 x 1855(h) mm	600 x 585 x 1855(h) mm
	510 x 485 x 1620(h) mm	510 x 485 x 1620(h) mm
	350 L	350 L
	+32°C / 55%HR	+32°C / 55%HR
	evaporatore a piastra plate evaporator	evaporatore a ripiani shelves evaporator
DEFROST	a sosta / off cycle defrost	manuale / manual
GAS	R600a	R290
	automatica / automatic	manuale / manual
	termostato / thermostat	termostato / thermostat
CONTROL		
	45 mm	60 mm
	185 W	380 W
	230V / 50Hz	230V / 50Hz
MATERIAL	lamiera verniciata - ABS + vetrocamera painted tin plate - ABS + insulating glass	lamiera verniciata - ABS + vetrocamera con resistenza painted tin plate - ABS + insulating glass and heating element
REVERSIBLE	si / yes	no
	led	led
STANDARD	3 griglie / grids 500 x 415 mm + 1 griglia / grid 500 x 211 mm	n.6 ripiani fissi / fixed shelves 480 x 440 x 160(h) mm
		
	69 Kg	76 Kg
	81 Kg	102 Kg
	680 x 650 x 2210(h) mm	680 x 650 x 2210(h) mm

G-ER600G - G-EF600G



	G-ER600G	G-EF600G
	+2°C / +8°C	-18°C / -22°C
	777 x 695 x 1895(h) mm	777 x 695 x 1895(h) mm
	657 x 580 x 1660(h) mm	657 x 580 x 1660(h) mm
	570 L	555 L
	+32°C / 55%HR	+32°C / 55%HR
	evaporatore a piastra plate evaporator	evaporatore a ripiani shelves evaporator
DEFROST	a sosta / off cycle defrost	manuale / manual
GAS	R600a	R290
	automatica / automatic	manuale / manual
	termostato / thermostat	termostato / thermostat
CONTROL		
	60 mm	60 mm
	185 W	480 W
	230V / 50Hz	230V / 50Hz
MATERIAL	lamiera verniciata - ABS + vetrocamera painted tin plate - ABS + insulating glass	lamiera verniciata - ABS + vetrocamera con resistenza painted tin plate - ABS + insulating glass and heating element
REVERSIBLE	si / yes	no
	led	led
STANDARD	3 griglie / grids 630 x 480 mm + 1 griglia / grid 630 x 290 mm	6 ripiani fissi / fixed shelves 650 x 510 x 210(h) mm
	93 Kg	94 Kg
	107 Kg	111 Kg
	840 x 760 x 2210(h) mm	840 x 760 x 2210(h) mm

Eco Line

Armadi refrigerati - statici / Refrigerated cabinets - static
Armoires réfrigérées - statiques / Armarios refrigerados - estáticos

G-ER400GSS - G-EF400GSS






















	G-ER400GSS	G-EF400GSS
	+2°C / +8°C	-18°C / -22°C
	600 x 585 x 1855(h) mm	600 x 585 x 1855(h) mm
	510 x 485 x 1620(h) mm	510 x 485 x 1620(h) mm
	350 L	350 L
	+32°C / 55%HR	+32°C / 55%HR
	evaporatore a piastra plate evaporator	evaporatore a ripiani shelves evaporator
DEFROST	a sosta / off cycle defrost	manuale / manual
GAS	R600a	R290
	automatica / automatic	manuale / manual
	termostato / thermostat	termostato / thermostat
CONTROL		
	45 mm	60 mm
	185 W	380 W
	230V / 50Hz	230V / 50Hz
MATERIAL	acciaio Inox AISI 430 ABS - vetrocamera stainless steel AISI 430 ABS - insulating glass	acciaio Inox AISI 430 ABS - vetrocamera con resistenza stainless steel AISI 430 ABS - insulating glass and heating element
	si / yes	no
	led	led
STANDARD		
	69 Kg	76 Kg
	81 Kg	102 Kg
	680 x 650 x 2210(h) mm	680 x 650 x 2210(h) mm

Eco Line

Armadi refrigerati - statici / Refrigerated cabinets - static
Armoires réfrigérées - statiques / Armarios refrigerados - estáticos

G-ER600GSS - G-EF600GSS



	G-ER600GSS	G-EF600GSS
		
	+2°C / +8°C	-18°C / -22°C
	777 x 695 x 1895(h) mm	777 x 695 x 1895(h) mm
	657 x 580 x 1660(h) mm	657 x 580 x 1660(h) mm
	570 L	570 L
	+32°C / 55%HR	+32°C / 55%HR
	evaporatore a piastra plate evaporator	evaporatore a ripiani shelves evaporator
DEFROST	a sosta / off cycle defrost	manuale / manual
GAS	R600a	R290
	automatica / automatic	manuale / manual
	termostato / thermostat	termostato / thermostat
CONTROL		
	60 mm	60 mm
	185 W	480 W
	230V / 50Hz	230V / 50Hz
MATERIAL	acciaio Inox AISI 430 ABS - vetrocamera stainless steel AISI 430 ABS - insulating glass	acciaio Inox AISI 430 ABS - vetrocamera con resistenza stainless steel AISI 430 ABS - insulating glass and heating element
	si / yes	no
REVERSIBLE		
	led	led
STANDARD		
	3 griglie / grids 630 x 480 mm + 1 griglia / grid 650 x 290 mm	6 ripiani fissi / fixed shelves
		
	93 Kg	94 Kg
	107 Kg	111 Kg
	840 x 760 x 2210(h) mm	840 x 760 x 2210(h) mm

Eco Line

Armadi refrigerati - statici / Refrigerated cabinets - static
Armoires réfrigérées - statiques / Armarios refrigerados - estáticos

