

01 EXPOSITOR REFRIGERADO SERIE ERV BACK-BAR ERV SERIES

EXTERIOR

- Acero plastificado negro

INTERIOR

- Acero plastificado gris
- Iluminación interior
- Parrillas de alambre de acero plastificado, regulables en altura y fácilmente desmontables

AISLAMIENTO

- Poliuretano inyectado alta presión libre de CFC 's densidad 40 kg/m³, bajo GWP y cero efecto ODP

PUERTAS

- Puertas con doble acristalamiento (6-10-4)
- Cerradura incorporada
- Bultete fácilmente sustituible
- Puertas con tirador integrado

REFRIGERACIÓN

- Sistema de condensación ventilada
- Evaporadores tratados anticorrosión 100% Poliéster
- Bandeja evaporativa

OPCIONAL / OPTIONAL

- Iluminación LED / LED lighting [Consultar](#)

EXTERIOR

- Black plastic coated steel

INTERIOR

- Grey plastic coated steel
- Interior lighting
- Plastic coated wire shelves, adjustable height and easy removal

INSULATION


- Free CFC's high density [40kg/m³] polyurethane insulation with low GWP & zero ODP effect

DOORS

- Doors with double glass. (6-10-4)
- Integrated lock
- Easy removal gasket
- Integrated handle doors

REFRIGERATION

- Forced air refrigeration system
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Evaporative tray



MODELOS MODELS	→ ↑ ↻ ⚡	⚡	⚡	📦	🚪	📏	🔧	❄️	💧	🌡️	🧊	🕒	🌡️
	Dimensiones LxPxH (mm)	Potencia Power (W)	Tensión/Frecuencia Eléctrica (V/Hz)	Capacidad Capacity (L)	Nº puertas Doors	Nº parrillas/J. guías No shelves / Slides	Compresor Compressor (HP)	Potencia Frig. Cooling capacity (W) (T [°] °-10°C)	Evaporación Evaporation	Régimen temperatura Temperature range (32°C)	Desescarche Defrost	Control Control	Refrigerante Coolant
ERV 15	600x510x920	325	220/50	140	1	2	1/6	178	Forzada Forced	+4°C/+12°C	Automático Automatic	Digital	R 134 a
ERV 25 ERV 25 C	900x510x920	350	220/50	220	2	2	1/5	254	Forzada Forced	+4°C/+12°C	Automático Automatic	Digital	R 134 a
ERV 35	1350x510x920	425	220/50	330	3	2	1/4	298	Forzada Forced	+4°C/+12°C	Automático Automatic	Digital	R 134 a
ERV 15 PP	600x510x920	325	220/50	140	1	2	1/6	178	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 134 a
ERV 25 PP	900x510x920	350	220/50	220	2	2	1/5	254	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 134 a
ERV 35 PP	1350x510x920	425	220/50	330	3	2	1/4	298	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 134 a

Características técnicas y constructivas sujetas a variación sin previo aviso / We reserve the right to change specifications without prior notice.

EXPOSITOR REFRIGERADO SERIE ERV BACK-BAR ERV SERIES



ERV 15 PP




ERV 25 PP



ERV 15




ERV 25
Disponibile con puertas correderas
Sliding door available ERV 25 C




ERV 15 PP

780 €




ERV 25 PP

1.025 €




ERV 35 PP

1.248 €




ERV 15

800 €




ERV 25

1.051 €



ERV 25 C

1.086 €



ERV 35

1.311 €

01 EXPOSITOR REFRIGERADO SERIE ERV INOX BACK-BAR ERV STAINLESS STEEL SERIES

EXTERIOR

- Acero Inox AISI 430

INTERIOR

- Acero plastificado gris
- Iluminación interior
- Parrillas de alambre de acero plastificado, regulables en altura y fácilmente desmontables

AISLAMIENTO

- Poliuretano inyectado alta presión libre de CFC's densidad 40 kg/m³, bajo GWP y cero efecto ODP

PUERTAS

- Puertas con doble acristalamiento (6-10-4)
- Cerradura incorporada
- Burlete fácilmente sustituible
- Puertas con tirador integrado

REFRIGERACIÓN

- Sistema de condensación ventilada INFRICOOOL
- Evaporadores tratados anticorrosión 100% Poliéster
- Bandeja evaporativa

OPCIONAL / OPTIONAL

- Iluminación LED / LED lighting [Consultar](#)

EXTERIOR

- AISI 430 Stainless Steel

INTERIOR

- Grey plastic coated steel
- Interior lighting
- Plastic coated wire shelves, adjustable height and easy removal

INSULATION


- Free CFC's high density (40kg/m³) polyurethane insulation with low GWP & zero ODP effect

DOORS

- Doors with double glass. (6-10-4)
- Integrated lock
- Easy removal gasket
- Integrated handle doors

REFRIGERATION

- Forced air refrigeration system
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Evaporative tray



ERV 25 II + ERV 35 II

MODELOS MODELS	Dimensiones Dimensions LxPxH (mm)	Potencia Power (W)	Tensión/Frecuencia Electrical (V/Hz)	Capacidad Capacity (L)	Nº puertas Doors	Nº parrillas/J. guías No shelves / Sides	Compresor Compressor (HP)	Potencia Frig. Cooling capacity (W) (T _{amb} -10°C)	Evaporación Evaporation	Régimen temperatura Temperature range (32°C)	Desescarche Defrost	Control Control	Refrigerante Coolant
ERV 15 II	600x510x920	325	220/50	140	1	2	1/6	178	Forzada Forced	+4°C/+12°C	Automático Automatic	Digital	R 134 a
ERV 25 II	900x510x920	350	220/50	220	2	2	1/5	254	Forzada Forced	+4°C/+12°C	Automático Automatic	Digital	R 134 a
ERV 35 II	1350x510x920	425	220/50	330	3	2	1/4	298	Forzada Forced	+4°C/+12°C	Automático Automatic	Digital	R 134 a

Características técnicas y constructivas sujetas a variación sin previo aviso / We reserve the right to change specifications without prior notice.


EXPOSITOR REFRIGERADO SERIE ERV INOX BACK-BAR ERV STAINLESS STEEL SERIES



ERV 35 II




ERV 25 II




ERV 15 II

893 €



ERV 25 II

1.164 €



ERV 35 II

1.440 €

01 EXPOSITOR REFRIGERADO VERTICAL SERIE ERV GLASS DOOR MERCHANDISER ERV SERIES

EXTERIOR

- Acero plastificado negro

INTERIOR

- Acero plastificado gris
- Iluminación interior
- Parrillas de alambre de acero plastificado, regulables en altura y fácilmente desmontables

AISLAMIENTO

- Poliuretano inyectado alta presión libre de CFC's densidad 40 kg/m³, bajo GWP y cero efecto ODP

PUERTAS

- Puertas con doble acristalamiento (6-10-4)
- Cerradura incorporada
- Bultete fácilmente sustituible
- Puertas con tirador integrado

REFRIGERACIÓN

- Sistema de condensación ventilada
- Evaporadores tratados anticorrosión 100% Poliéster
- Bandeja evaporativa

OPCIONAL / OPTIONAL

- Parrillas / Wire shelves ERV 53 (502X27) **14 €**
- Parrillas / Wire shelves ERV 83 (502X28) **21 €**
- Cabeza iluminativa / Illuminated head ERV 53 (CPERV15) **43 €**
- Cabeza iluminativa / Illuminated head ERV 83 (CPERV25) **61 €**

EXTERIOR

- Black plastic coated steel

INTERIOR

- Grey plastic coated steel
- Interior lighting
- Plastic coated wire shelves, adjustable height and easy removal

INSULATION


- Free CFC's high density (40kg/m³) polyurethane insulation with low GWP & zero ODP effect

DOORS

- Doors with double glass. (6-10-4)
- Integrated lock
- Easy removal gasket
- Integrated handle doors

REFRIGERATION

- Forced air refrigeration system
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Evaporative tray



ERV

MODELOS MODELS	→ ↗ ↑	⏻ ⚠	⏻ ⚠	⏻ ⚠	📱	📅	🔧	❄️	💧	🌡️	🔧	🔧	❄️
	Dimensiones Dimensions LxHxP (mm)	Potencia Power [W]	Tensión/Frecuencia Electrical [V/Hz]	Capacidad Capacity [L]	Nº puertas Doors	Nº parrillas/J. guías No shelves / Slides	Compresor Compressor [HP]	Potencia Frig. Cooling capacity [W] (T _{int} -10°C)	Evaporación Evaporation	Régimen temperatura Temperature range [32°C]	Desescarche Defrost	Control Control	Refrigerante Coolant
ERV 53	600x510x1820	380	220/50	280	1	5	1/4	298	Forzada Forced	+4°C/+12°C	Automático Automatic	Digital	R 134 a
ERV 83	900x510x1820	600	220/50	435	2	5	3/8	464	Forzada Forced	+4°C/+12°C	Automático Automatic	Digital	R 134 a

Características técnicas y constructivas sujetas a variación sin previo aviso / We reserve the right to change specifications without prior notice.


EXPOSITOR REFRIGERADO VERTICAL SERIE ERV GLASS DOOR MERCHANDISER ERV SERIES



ERV 53




ERV 83



ERV 53

1.341 €



ERV 83

1.731 €

01 EXPOSITOR REFRIGERADO SERIE ERC GLASS DOOR MERCHANDISER ERC SERIES

EXTERIOR

- Acero plastificado blanco
- Cabeza iluminativa (ERC 17/36)

INTERIOR

- Acero plastificado blanco
- Iluminación LED interior 
- Parrillas de alambre de acero plastificado, regulables en altura y fácilmente desmontables

AISLAMIENTO

- Poliuretano inyectado alta presión libre de CFC's densidad 40 kg/m³, bajo GWP y cero efecto ODP

PUERTAS

- Puertas con doble acristalamiento (6-10-4)
- Burlate fácilmente sustituible
- Puertas con tirador integrado

REFRIGERACIÓN

- Sistema de condensación ventilada
- Evaporadores tratados anticorrosión 100% Poliéster
- Bandeja evaporativa en acero inoxidable
- Control temperatura final del desescarche


OPCIONAL / OPTIONAL

- Parrillas / Wire shelves ERC 17/36 (502X27) **14 €**

EXTERIOR

- White plastic coated steel
- Illuminated head (ERC 17/36)

INTERIOR

- White plastic coated steel
- LED interior lighting 
- Plastic coated wire shelves, adjustable height and easy removal

INSULATION


- Free CFC's high density (40kg/m³) polyurethane insulation with low GWP & zero ODP effect

DOORS

- Doors with double glass. (6-10-4)
- Easy removal gasket
- Integrated handle doors

REFRIGERATION

- Forced air refrigeration system
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Stainless steel evaporative tray
- Control of the final defrost temperatura



MODELOS MODELS	Dimensiones Dimensions LxPxA (mm)	Potencia Power (W)	Tensión/Frecuencia Electrical (V/Hz)	Capacidad Capacity (L)	Nº puertas Doors	Nº parrillas/J. guías No shelves / Slides	Compresor Compressor (HP)	Potencia Frig. Cooling capacity (W) (10°C-10°C)	Evaporación Evaporation	Régimen temperatura Temperature range (°C)	Desescarche Defrost	Control Control	Refrigerante Coolant
ERC 17	620x595x1085	290	220/50	175	1	2	1/8	286	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 404 A
ERC 36	620x595x1870	575	220/50	355	1	4	1/4	577	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 404 A
ERC 36 B	620x595x1870	575	220/50	355	1	4	1/4	577	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 404 A

Características técnicas y constructivas sujetas a variación sin previo aviso / We reserve the right to change specifications without prior notice.

EXPOSITOR REFRIGERADO SERIE ERC GLASS DOOR MERCHANDISER ERC SERIES




PRODUCTO
PERSONALIZABLE
Customizable product



ERC 17




ERC 36 B




ERC 17

844 €



ERC 36

1.252 €



ERC 36 B

1.241 €

01 EXPOSITOR REFRIGERADO PUERTAS CORREDERAS SERIE ERC SLIDING GLASS DOOR MERCHANDISER ERC SERIES



EXTERIOR

- Acero plastificado blanco
- Cabeza iluminativa

INTERIOR

- Acero plastificado blanco
- Desagüe interior
- Iluminación LED interior

AISLAMIENTO

- Poliuretano inyectado alta presión libre de CFC´s densidad 40 kg/m³, bajo GWP y cero efecto ODP

PUERTAS

- Puertas con doble acristalamiento (6-10-4)
- Puertas Correderas con sistema de Autocierre
- Puertas con tirador integrado

ESTANTES

- Estantes de acero plastificado, regulables en altura y fácilmente desmontables

REFRIGERACIÓN

- Sistema de condensación ventilada
- Evaporadores tratados anticorrosión 100% Poliéster
- Bandeja evaporativa en acero inoxidable
- Control temperatura final del desescarche

OPCIONAL / OPTIONAL

- Parrillas / Wire shelves ERC 65 (ESTERC65) **27 €**
- Parrillas / Wire shelves ERC 110 (ESTERC11) **37 €**
- Parrillas / Wire shelves ERC 180 (ESTERC18) **51 €**

Panel frontal iluminado
Illuminated frontal panel



EXTERIOR

- White plastic coated steel
- Illuminated head

INTERIOR

- White plastic coated steel
- Internal Drain
- LED interior lighting

INSULATION

- Free CFC's high density (40kg/m³) polyurethane insulation with low GWP & zero ODP effect

DOORS


- Doors with double glass. (6-10-4)
- Sliding doors with self-closing system
- Integrated handle doors

SHELVING

- Plastic coated shelves, adjustable height and easy removal

REFRIGERATION

- Forced air refrigeration system
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Stainless steel evaporative tray
- Control of the final defrost temperatura



ERC 65

ERC 110 / ERC 180

MODELOS MODELS	Dimensiones Dimensions LxPxH (mm)	Potencia Power (W)	Tensión/Frecuencia Electrical [V/Hz]	Capacidad Capacity (L)	Nº puertas Doors	Nº parrillas/J. guías No shelves / Slides	Compresor Compressor (HP)	Potencia Frig. Cooling capacity (W) [17°C-10°C]	Evaporación Evaporation	Régimen temperatura Temperature range (32°C)	Desescarche Defrost	Control Control	Refrigerante Coolant
ERC 65	1110x600x2000	962	220/50	700	2	4 (980x320)	5/8	1048	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 404 A
ERC 110	1110x800x2000	1092	220/50	1000	2	4 (980x520)	3/4	1208	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 404 A
ERC 180	1848x800x2000	1172	220/50	1767	3	4 (872x520)	1	1606	Forzada Forced	+4°C/+8°C	Automático Automatic	Digital	R 404 A

Características técnicas y constructivas sujetas a variación sin previo aviso / We reserve the right to change specifications without prior notice.

EXPOSITOR REFRIGERADO PUERTAS CORREDERAS SERIE ERC SLIDING GLASS DOOR MERCHANDISER ERC SERIES




ERC 180



ERC 110




ERC 110




ERC 65

2.313 €



ERC 110

2.441 €



ERC 180

3.449 €