

IN60/50-110



IN100/50-110



IN100/50-140



IN60/50-140



SAYL

INTEGRA BASE



PERSONALIZABLE
CUSTOMIZABLE
CUSTOMISABLE

Bases personalizables en altura, colores y acabados.

The bottom structure can be personalized in height and colour.

Bases personnalisables en hauteur et coloris.



FLEXIBILIDAD
FLEXIBILITY
FLEXIBILITÉ

Ruedas con frenos incluidas.

Wheels with brakes included.

Roulettes et freins inclus.

IN60/80-140



IN100/80-140



IN120/80-140



IN120/20-140



ALMACENAMIENTO
STORAGE
STOCKAGE

Opcional : Possibilidad de
almacenamiento inferior.

*Optional: Possibility of
lower storage.*

Facultatif: possibilité de
stockage inférieur





SAYL +

INTEGRA BASE



IN60/80-140CG



IN60/50-140



IN60/50-110



IN60/80-140



INTEGRA CON BASE 60



MEDIDAS (mm)	ALTURA ZONA CRISTAL (mm)	N° ESTANTES REGULABLES	ACCESO FRONTAL	ACCESO TRASERO	RUEDAS	DOBLE LED ESTANTE	COLD VERSION	
							REF	TEMP
600x600x1100	515	2	NO	SI	SI	SI	IN60/50-110	+2/+6°C
600x600x1100	515	2	GRAB&GO	SI	SI	SI	IN60/50-110G	+6/+10°C
600x600x1400	515	2	NO	SI	SI	SI	IN60/50-140	+2/+6°C
600x600x1400	515	2	GRAB&GO	SI	SI	SI	IN60/50-140G	+6/+10°C
600x600x1400	815	3	NO	SI	SI	SI	IN60/80-140	+2/+6°C
600x600x1400	815	3	SI	SI	SI	SI	IN60/80-140A	+2/+6°C
600x600x1400	815	3	GRAB&GO	SI	SI	SI	IN60/80-140G	+6/+10°C


HOT VERSION	
REF	TEMP.
IN60/50-110C	+70°C
IN60/50-110CG	+70°C
IN60/50-140C	+70°C
IN60/50-140CG	+70°C
IN60/80-140C	+70°C
IN60/80-140CA	+70°C
IN60/80-140CG	+70°C

NEUTRAL VERSION	
REF	TEMP.
IN60/50-110N	NEUTRAL
IN60/50-110NG	NEUTRAL
IN60/50-140N	NEUTRAL
IN60/50-140NG	NEUTRAL
IN60/80-140N	NEUTRAL
IN60/80-140NA	NEUTRAL
IN60/80-140NG	NEUTRAL

POSIBILIDAD DE COLOR NEGRO AL MISMO PRECIO - POSSIBILITY OF BLACK COLOR AT THE SAME PRICE - POSSIBILITÉ DE COULEUR NOIRE AU MÊME PRIX



SAYL ✦
INTEGRA BASE



IN100/50-110



IN100/50-140



IN100/80-140



INTEGRA CON BASE 100



MEDIDAS (mm)	ALTURA ZONA CRISTAL (mm)	Nº ESTANTES REGULABLES	ACCESO FRONTAL	ACCESO TRASERO	RUEDAS	DOBLE LED ESTANTE	COLD VERSION	
							REF	TEMP
1000x600x1100	515	2	NO	SI	SI	SI	IN100/50-110	+2/+6°C
1000x600x1400	515	2	NO	SI	SI	SI	IN100/50-140	+2/+6°C
1000x600x1400	515	2	ABIERTO	SI	SI	SI		
1000x600x1400	815	3	NO	SI	SI	SI	IN100/80-140	+2/+6°C
1000x600x1400	815	3	SI	SI	SI	SI	IN100/80-140A	+2/+6°C
1000x600x1400	815	3	ABIERTO	SI	SI	SI		

HOT VERSION	
REF	TEMP.
IN100/50-110C	+70°C
IN100/50-140C	+70°C
IN100/50-140CG	+70°C
IN100/80-140C	+70°C
IN100/80-140CA	+70°C
IN100/80-140CG	+70°C

NEUTRAL VERSION	
REF	TEMP.
IN100/50-110N	NEUTRAL
IN100/50-140N	NEUTRAL
IN100/50-140NG	NEUTRAL
IN100/80-140N	NEUTRAL
IN100/80-140NA	NEUTRAL
IN100/80-140NG	NEUTRAL

POSIBILIDAD DE COLOR NEGRO AL MISMO PRECIO - POSSIBILITY OF BLACK COLOR AT THE SAME PRICE - POSSIBILITÉ DE COULEUR NOIRE AU MÊME PRIX